

# 1 System.Runtime.CompilerServices.TypeForwardedToAttribute Class

## 2

```
3 [ILAsm]  
4 .class public sealed beforefieldinit TypeForwardedToAttribute extends  
5 System.Attribute  
  
6 [C#]  
7 public sealed class TypeForwardedToAttribute: Attribute
```

### 8 Assembly Info:

- 9 • *Name:* mscorlib
- 10 • *Public Key:* [00 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00]
- 11 • *Version:* 4.0.0.0
- 12 • *Attributes:*
  - 13 ○ CLSCompliantAttribute(true)

### 14 Type Attributes:

- 15 • System.AttributeUsage(System.AttributeTargets.Assembly, AllowMultiple=true,  
16 Inherited=false)

### 17 Summary

18 Specifies a destination `System.Type` in another assembly.

### 19 Inherits From: System.Attribute

20

21 **Library:** RuntimeInfrastructure

22

### 23 Description

24 Use the `System.Runtime.CompilerServices.TypeForwardedToAttribute` attribute to  
25 move a type from one assembly to another without disrupting callers that compiled  
26 against the old assembly.

27

# 1 TypeForwardedToAttribute(System.Type) 2 Constructor

```
3 [ILAsm]  
4 .method public hidebysig specialname rtspecialname instance void  
5 .ctor(class System.Type destination) cil managed  
  
6 [C#]  
7 public TypeForwardedToAttribute (Type destination)
```

## 8 Summary

9 Initializes a new instance of the  
10 System.Runtime.CompilerServices.TypeForwardedToAttribute class specifying a  
11 destination System.Type.

## 12 Parameters

Parameter	Description
<i>destination</i>	The destination System.Type in another assembly.

13

14

# 1 TypeForwardedToAttribute.Destination 2 Property

```
3 [ILAsm]  
4 .property instance class System.Type Destination  
5 [C#]  
6 public Type Destination { get; }
```

## 7 Summary

8 Gets the destination `System.Type` in another assembly.

## 9 Property Value

10 The destination `System.Type` in another assembly.

11